

05/26/00
JCP16 U.S. PTO

05-30-00

A
+

PTO/SB/05 (2/98) (modified)
Approved for use through 9/30/2000, OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

NEW UTILITY PATENT APPLICATION TRANSMITTAL <i>(only for new no provisional applications under 37 CFR 1.53(b))</i>	Attorney Docket Number	4931 US
	First Named Inventor	George Hansen
	Total Pages in this Submission	30
	Express Mail Label No.	EL482717048US

05/26/00
JCP16 U.S. PTO
09/580670

APPLICATION ELEMENTS	ACCOMPANYING APPLICATION PARTS
1. <input type="checkbox"/> Fee Transmittal Form (in duplicate) <input type="checkbox"/> Check Enclosed 2. <input checked="" type="checkbox"/> Specification <i>(preferred arrangement set forth below)</i> <input checked="" type="checkbox"/> Descriptive Title of the Invention <input checked="" type="checkbox"/> Cross Reference(s) to Related Case(s) <input checked="" type="checkbox"/> Statement Regarding Fed sponsored R & D <input checked="" type="checkbox"/> Background of the Invention <input checked="" type="checkbox"/> Brief Summary of the Invention <input checked="" type="checkbox"/> Brief Description of the Drawing(s) <input checked="" type="checkbox"/> Detailed Description <input checked="" type="checkbox"/> Claim or Claims <input checked="" type="checkbox"/> Abstract of the Disclosure 3. <input checked="" type="checkbox"/> 7 sheets of Drawing(s) 4. Oath or Declaration a. <input checked="" type="checkbox"/> New Declaration/POA <input type="checkbox"/> Executed b. <input type="checkbox"/> Copy from a prior application (37 CFR 1.63(d)) <i>(for continuation/divisional with Box 17 completed)</i> i. <input type="checkbox"/> DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b). 5. <input type="checkbox"/> Incorporation by Reference <i>(useable if Box 4b is checked)</i> . The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.	6. <input type="checkbox"/> Assignment & Assignment Recordation Cover Sheet 7. <input type="checkbox"/> Certified Copy of Priority Document(s) <i>(if foreign priority is claimed)</i> 8. <input type="checkbox"/> Information Disclosure Statement & PTO-1449 <input type="checkbox"/> Copies of IDS Citation(s) 9. <input type="checkbox"/> Preliminary Amendment 10. Small Entity Statement <input type="checkbox"/> New Statement enclosed <input type="checkbox"/> Statement filed in prior application 11. <input checked="" type="checkbox"/> Return Postcard 12. <input type="checkbox"/> 13. <input type="checkbox"/> 14. <input type="checkbox"/> 15. <input type="checkbox"/> 16. <input type="checkbox"/>

ADDRESS TO:


Box Patent Application
Commissioner for Patents
Washington, D.C. 20231

17. If a **CONTINUING APPLICATION**, check appropriate box and supply the requisite information below and in a preliminary amendment:
☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: ___/_____
 Prior application information: Examiner: _____ Group/Art Unit: _____

18. CORRESPONDENCE ADDRESS


NAME	Robert R. Sachs, Fenwick & West LLP				
ADDRESS	Two Palo Alto Square				
CITY	Palo Alto	STATE	CA	ZIP CODE	94306
COUNTRY	U.S.A.	TELEPHONE	(415) 875-2410	FAX	(415) 281-1350

19. SIGNATURE OF ATTORNEY OR AGENT

Name (Print/Type)	Amir H. Raubvogel	Registration No. (Attorney/Agent)	37,070
Signature		Date	May 26, 2000

20. CERTIFICATE OF MAILING

I hereby certify that this correspondence, including the enclosures identified above, is being deposited with the United States Postal Service as first class mail in an envelope addressed to: The Assistant Commissioner for Patents, Washington, D.C. 20231 on the date shown below. If the Express Mail Mailing Number is filled in below, then this correspondence is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service pursuant to 37 CFR 1.10.

Signature:	
Typed Name:	Amir H. Raubvogel
Dated:	May 26, 2000
Express Mail Mailing Number (optional): EL482717048US	

MANAGING MULTIPLE LIFE CYCLE PLANS

INVENTOR

George Hansen

5

BACKGROUND OF THE INVENTION

Field of Invention

10

The invention relates to planning life-cycle events. More particularly, the invention relates to a system and a method for analyzing the results of changes to life-planning decisions.

Description of the Related Art

15

The advent of accounting software for personal computers has allowed greater and simplified access to individual banking and other financial data. Consumers are able to pay their bills, buy stocks and other financial instruments, renegotiate their mortgages, and plan strategies for saving money and freeing themselves of debt—all by using their PCs.

20

In addition to the increased efficiency resulting from this trend, a consequence of having the majority of one's financial life recorded in one place – i.e. in computer data files – is the ability to do family financial planning with relative ease. Existing software programs, such as Quicken 99™ by Intuit Inc. of Mountain View, California, allow a user to compute the amount of money

that will be available at some future date, e.g. at retirement, as a result of financial decisions made today, or in the near future. For example, a user might be interested in knowing how much money she will have ten years from today, based on current saving and spending patterns.

5 A significant impediment to this process of financial planning is the difficulty of comparing the results of different life decisions made throughout the planner's lifetime. Because a planning timeline, i.e. the period over which the plan will operate, can be anywhere from weeks to several decades, changes in variables can have effects years into the future. For example, a slight
10 decrease in interest rates can significantly reduce the amount of interest income over the course of the plan, leaving less money available for education, miscellaneous capital expenditures, retirement, and testamentary devises. Likewise, a capital expense now, e.g., the purchase of a car, means not only the loss of that capital, but also the return that would have been realized on that
15 capital over the remaining n years of the plan.

While these are two illustrative examples, the complexity of life cycle planning is such that many such decisions, i.e. variables, must be made over the course both of living a life, and of making a life cycle plan. Each of these variables can affect the plan in significant ways, and likewise interact with other
20 variables.

The difficulty with today's life cycle planning software is that it is both cumbersome and inefficient. In order to compare two plans having one or

more differing variables, a base plan must be duplicated, and the value of the old variable(s) replaced with the new values in the modified plan. Because there are so many variables to input in order to form the plan, finding the one to change can take a significant amount of time. Even worse, if the user wants to restore the plan to its original value, she has to a) find it again; and b) remember what it was set to originally. If the user wishes to compare more than two plans, then yet another copy of the plan must be made. In addition to the inconvenience and unwieldiness of duplicating the plans, there is, from a memory management perspective, a significant amount of inefficiency in replicating a plan comprising hundreds or thousands of variables simply to change a very small number of variables.

Accordingly, it is desirable to provide a new method of life cycle planning, in which it is easy for the user to rapidly assess the results of changing the value of one or more plan variables. It is desirable to provide a side-by-side (or similar visual) comparison of the plans, including a clear indication of where and how the variables differ. The user should be able to undo or reverse the changes, gradually or instantly removing the differences between, e.g., plans A and B, and should be able to immediately view the results of the changes, as described above.

In addition, it would be desirable for the memory requirements of the second and subsequent plans to be substantially less than the memory required

by the first plan—i.e. if the memory requirement of one plan is m , the memory requirement for n plans should be closer to m than to $n \cdot m$.

SUMMARY OF THE INVENTION

5 The present invention provides a system and method for making life cycle plans which allows for efficient development of multiple plans without requiring complete duplication of prior plans. A number of life cycle plans are maintained. Each life cycle plan includes a plurality of items, each of which has one or more variables that store data used to calculate the result of the plan.

10 Each item additionally maintains information about its status within each plan. For each plan, the individual item may be active, inactive, or not present in the plan. When a second or subsequent plan is created, only those items having new or changed variable values are updated to indicate their new value, and the plan to which the new value applies. Instead of each item being copied to

15 the second plan, the item instead maintains state information indicating its state within each plan. The result of a selected life cycle plan can then be calculated by determining for the selected life cycle plan, which items are active in the plan, and using those items to calculate the result.

 An embodiment of the invention provides a life cycle planning system,

20 including a planning engine, an input/output module, and a user interface, and optionally an additional financial management application. The user interface allows the user to create new plans, and then select items to be included in the

plan, and update their variables with new values. The input/output module routes data between the planning engine, the user interface, and other components of the financial planning application. The planning engine uses data supplied by the user to determine the results of a life cycle plan, and updates the results of the plans using only the items that are active in each plan. The invention also has embodiments as a computer program product on a computer readable media, and as part of a computer system.

The features and advantages described in this summary and the following detailed description are not all-inclusive, and particularly, many additional features and advantages will be apparent to one of ordinary skill in the art in view of the drawings, specification, and claims hereof. Moreover, it should be noted that the language used in the specification has been principally selected for readability and instructional purposes, and may not have been selected to delineate or circumscribe the inventive subject matter, resort to the claims being necessary to determine such inventive subject matter.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWINGS

Fig. 1 is a block diagram illustrating a functional layout of a plan in accordance with one embodiment of the present invention.

Fig. 2 is a functional block diagram illustrating the processing and data components of the present invention.

Fig. 3 is a functional block diagram illustrating the components of an item in accordance with the present invention.

Fig. 4 is a block diagram illustrating a functional layout of a newly-formed plan in accordance with one embodiment of the present invention.

5 Fig. 5 is a temporal chart illustrating changes in item information at certain times in accordance with one embodiment of the present invention.

Fig. 6 is a flow chart illustrating the steps of the operation of one embodiment of the present invention.

Fig. 7 is a screen shot illustrating a user interface display of an embodiment of the present invention.

10 The figures depict a preferred embodiment of the present invention for purposes of illustration only. One skilled in the art will readily recognize from the following discussion that alternative embodiments of the structures and methods illustrated herein may be employed without departing from the principles of the invention described herein.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Referring now to Fig. 1, in a preferred embodiment, the primary data structure is a plan **100**. A plan **100** contains information about a user — past, present, and future, and indicates the expected consequences of the user's decisions over the course of his lifetime, and how those decisions affect the user's indicated goals. Although other structures will be readily apparent to those skilled in the art, in the preferred embodiment, a plan **100** contains information organized into the following event groups:

- A Main Plan Record **102**, which contains information that typically exists in fixed numbers. For example, the Main Plan Record could contain inflation rate and tax rate information that applies throughout the plan.
- A Personal Event Group **104**, which contains information about the members of the plan. For example, the user himself, his spouse, and any dependents of the user.
- An Income Event Group **106**, which contains information on the income of the plan members, such as salaries, pensions, social security benefits, etc.
- A Saving Event Group **108**, which contains information about the plan members' savings plans for their various accounts over a specified period.
- An Asset Event Group **110**, which contains information about each asset that the plan members own and will own in the future.
- A Loan Event Group **112**, which contains information about each loan that the members of the plan have or intend to take out in the future.
- An Expense Event Group **114**, which contains information about expenses during the plan period, including adjustments to ongoing living expenses.

Note that in this embodiment, assets and loans are tracked in terms of future assets and future loans. Data regarding present assets and loans is received via an interface to a conventional financial management application **212** (Fig. 2), e.g., *Quicken 2000™*, by Intuit Inc. of Mountain View, California. In an alternate embodiment, the event groups may directly contain information about the current assets and liabilities (or other pertinent current financial parameters).

Referring now to Fig. 3, there is shown a block diagram of an embodiment of an item **300**. Each event group in the plan **100** contains one or more items **300**, which contain collections of variables **302** and state information **304**. A variable **302** may be any item of data used for purposes of calculating plan results. The variables **302** are preferably related in a relatively close manner, e.g. education expenses, number of years of education, etc., as relevant to the event group they are in. For example, for the loan event group **112**, each item **300** would be a loan, and the variables **302** would be the terms of the loan, i.e., amount, interest rate, length, and so forth. As another example, in the personal event group **104**, each item **300** may identify a member of the user's family, with variables **302** for the member's name, year of birth, status as dependent, expected date of retirement or enrollment in college, and so forth. The values of these variables may be established through a suitable user interface (UI) **210**, for example, forms with data entry fields, or a wizard to

obtain the variable data in a question and answer format. In this manner, the user may establish the values for the various variables **302** of each item. In addition, the user interface **210** preferably supports direct editing and modification of variable values.

5 An item **300** is an object that exists independently of a plan **100**. Each item **300** stores state information **304**, which indicates whether the item is to be used in calculating the results of the plan—that is whether or not the item contributes to the plan results.

10 In a preferred embodiment, this is done by maintaining the state information **304** in an array within (or associated with) the item **300**. For example, for each plan **100**, an associated index of the item's array can indicate the item's **300** status relative to the plan **100**; e.g. not present, turned off (inactive), or turned on (active). While one embodiment uses three states, an alternative embodiment can use only two states: active or inactive. An item
15 that is "active" is one that contributes to the results of a given plan. An item that is "inactive" or "not present" does not contribute to the plan. Further, when an item is "inactive," the user can make the item "active" in the user interface, while for items that are "not present," the item need not appear in the user interface for that plan.

20 For example, in Fig. 3, there is shown an illustration of an item **300**. Item **300** contains a group of variables **302**, as well as state information **304** about associated plans.

In the illustrated case, the state information **304a** for Plan 1 indicates that the item **300** is not present in Plan 1. This could occur, for example, when the item **300** was not part of the original plan **100**, but was added subsequently when a new plan was created (e.g., a new loan that is added after Plan 1 was created and so not calculated in Plan 1's result). The state information **304b** for Plan 2 indicates that item **300** is present in Plan 2, but is inactive. This indicates that while Plan 2 originally contained the item **300**, it has been at least temporarily deactivated within Plan 2, and so does not affect the calculated result of this plan (e.g., a loan in Plan 1 is deactivated in Plan 2). The Plan 3 state information **304c** illustrates that the item **300** is present and active in Plan 3, and so is used in calculating the result.

Referring now to Fig. 2, there is shown a block diagram of a life cycle planning system **200** in accordance with an embodiment of the present invention. The planning system **200** includes a Planning Engine **202**, an Input/Output Module **208**, and a User Interface **210**. The Planning Engine **202** is coupled to Input/Output Module **208**. The Input/Output Module **208** is coupled to the User Interface **210**, and to Financial Management Application **212**. The Input/Output Module **208** receives data from the User Interface **210** and updates Plan Data **214**, which stores one or more plans **100**. The Input/Output Module **208** provides Plan Data **214** to the Planning Engine **202**. The life planning system **200** is executed by a conventional computer including memory, the storage device and processor. Note that while shown separately,

Financial Management Application **212** and life cycle planning system **200** can be combined into a single application.

The Planning Engine **202** is responsible for collecting all of the data required to form a plan **100**, creating the plan **100** from the supplied data, and
5 updating the plan **100** upon receiving new or changed data by calculating the new result of the plan. Communication is had with the user via User Interface **210**, while the plan data **100** is stored in persistent storage.

In a preferred embodiment, a user maintains a list of his accounts, which may be income, saving, asset, loan, expense, investment or other accounts in
10 Financial Management Application **212**. The life planning application **200** has an interface to the Financial Planning Software **212**, in order to request data from it. When this information is available to the Planning Engine **202**, it will be used to assign data to many of the planning variables **302**. When this information is not available, the user will input it, if it is required in order to
15 form a plan **100**.

In addition to receiving data directly from Financial Management Application **212**, the Planning Engine **202** is linked to Input/Output Module **208**, which is capable of communication with the user via User Interface **210**, and of transmitting data back to the Planning Engine **202**. The Input/Output
20 Module **208** may function as a wizard or a direct editor of the plan data **100**.

To store input data, the Planning Engine **202** initializes the item **300** associated with that type of data, and the variables **302** within the item **300**. In addition, in a preferred embodiment, the item **300** has an array. The index of the array represents a plan number, and the value of the array indicates the status of the item **300** in the plan **100** represented by the given index. When the first plan **100** is created, each included item **300** will be in only one plan **100**, i.e. Plan 1, and will be marked active.

Once the necessary data has been entered into item **300**, the Planning Engine **202** then uses conventional functions and algorithms to determine the life cycle plan results. Those of skill in the art appreciate that although increasing the amount of data provided to the plan results in a more detailed plan, the Planning Engine **202** can operate (and form a resulting plan) using only a minimum set of data. Once the results of the plan are determined, they are presented to the user via the Input/Output Module **208** and the User Interface **210**. The results will typically include the values of many calculated variables, such as the amount of money available at retirement, funds available for college enrollment of children, size of estate at death, etc.

The user can then analyze various "What If" scenarios, by changing any number of the variables in the items, creating new items, or deleting items from plans. This may be done, for example, by direct inspection, or by making use of a wizard. For example, the user might be interested in knowing what is the financial impact of his child going to Harvard University instead of to The

University of California. Because of the difference in tuition, room and board, and expenses between the two schools, there could be a significant change to the life cycle plan 100 as a result. Thus, in order to see a comparison of the two possibilities, a new plan 400 must be created.

5 Referring now to Fig. 4, there is shown a block diagram illustrating a functional layout of a newly formed plan 400. The new plan 400 is formed by creating a new instance of a plan, containing only a main plan record 402, and thereby saving memory by avoiding the duplication of an entire plan. Next, for every existing item 300 in the base plan 100, a new index is added to the item's
10 array, and the value of the array at that index is set to the same value as in the plan 100 being altered. For example, if the only change is in the selection of colleges, then all other items and variables (e.g. income, loans, assets, etc.) are the same, and so for each of these unvaried items, the state information 304 for these items with respect to the new plan 400 is marked as active. After this, if
15 any of these items is altered for the new plan 400, its state information 304 (e.g. index values) is set to "inactive" or "not present" for the new plan 400, as appropriate. Thus, in an item that defines the tuition, room and board and expenses for attending college at The University of California, the state information for the original item with respect to the new plan is marked
20 inactive.

Next, one or more new items 300 are created reflecting the changes made by the user. These items 300 will be set to active only for the new plan 400, and

inactive or not present for all other plans, as appropriate. Thus, a new item 300 with variables defining the tuition, room and board, and expenses at Harvard is created, and the state information for the prior plan is marked as not present, and the state information for the new plan 400 is marked as active.

5 Additionally, a log can be kept indicating the changes made by the user.

As yet another example, Figs. 5a – 5d illustrate the operation of an embodiment of the present invention with respect to an item containing three variables. Assume only for purposes of illustration that the user has chosen to make two plans, and would like to compare the results of each. Thus, the user will first create the first plan, and then will create the second plan. Those of skill in the art appreciate that the following discussion could extend to cases in which more than two plans are created.

Referring now to Fig. 5a, initially the user has created the first plan. Thus, at time T_1 , Item 1 contains three variables, V_1 , V_2 , and V_3 . To determine the state value 502 of Item 1 for Plan 1 at this time, the first index of the state array is examined. In this case, the first index has a value of “Active” indicating that for Plan 1, Item 1 is active in Plan 1.

Next, the user creates the second plan. As described above, this can be done in different ways, depending on the particular user interface 210.

20 Referring now to Fig. 5b, there is shown again Item 1, this time at time T_2 . Fig. 5b illustrates that the second plan, represented by a number “2” in the plan array index, has now been created. As the figure illustrates, the state

information 504 for Plan 2 indicates that Item 1 is active in Plan 2, which is to be expected, since at creation of the new plan, the state information for each item is simply replicated from the base plan, as described above.

Referring now to Fig. 5c, Item 1 is shown at time T_3 . As can be seen, the status 506 of Item 1 in Plan 2 is "Inactive," meaning that Item 1 is now inactive in Plan 2, which is desirable, given that Item 2 will replace Item 1 in Plan 2.

Referring now to Fig. 5d, Item 2 is shown, also at time T_3 . Item 2 differs from Item 1 in that variable V_3 is not present, and has instead been replaced by variable V_3' . Item 2 has status information 508 of "Not Present" for Plan 1, indicating it is not present in Plan 1. This is easily understood, as Item 2 did not exist in Plan 1, and was created only to form part of the new plan, Plan 2. Item 2 is marked with status indicator "Active," indicating that it is active in Plan 2.

Each of Figs. 5a-5d is illustrative of the process described above, in which Plan 2 is initially created with the same attributes as Plan 1; but certain variables and items are then altered in accordance with input from the user.

Referring now to Fig. 6, there is shown a flowchart illustrating the operation of one embodiment of the present invention. In the first step, a first life 100 plan is created 602. Next, the user indicates a desire to alter some element of the first plan 100. This results in the creation 604 of a second life plan 400, with the creation of a new main plan record. The Planning Engine 202 next identifies 606 any items 300 that are to be changed in the new plan 400.

The Planning Engine 202 can then compute 608 the results of the new plan 400, and display 610 the results to the user, e.g. via the Input/Output Module 208 and the User Interface 210.

Because the second plan 400 is created by updating the state information of the items 300 that have been previously defined and reused in the second plan 400 and adding only new or changed items, changes can be made and viewed rapidly. The Planning Engine 202 can compute new plans 400 much more efficiently than would be the case if all items 300 were duplicated each time a variable 302 is changed. The user can repeatedly change variables 302 back and forth between different values while viewing updated results graphically, or in any other way made possible by the UI 210.

In a preferred embodiment, a log is maintained of changes made by the user between plans. In alternative embodiments, a list of these changes can easily be formed by determining which plans have differing items 300, and reporting the differences to the user. As illustrated above, the user can easily restore each variable 302 to its original value. The UI 210 can additionally provide a command that will cause all changes to be undone at once. In this case, the Planning Engine 202 need only set all item states 304 to Inactive for plans other than the first plan 100.

The memory requirements of each new plan 400 created after the first plan 100 are significantly less than would be required if the first plan 100 were merely duplicated. A typical plan might have, for example, 1000 items 300. If

the total memory size of the plan **100** is m , then the memory size of each item **300** is approximately $m/1000$. If the entire plan **100** is copied, the new plan **400** will require additional memory of size m . However, using the present invention, if even ten items **300** are changed at once, only additional memory of size $(10 \cdot m/1000) = m/100$ will be required. In this case, only an additional 1% of memory is needed, as opposed to the 100% that could be required by a duplication of the plan. The memory savings tend to increase further as additional new plans are created based on prior plans.

Referring now to Fig. 7, there is shown a screen shot **700** of an embodiment of the present invention. In the illustrated embodiment, the user interface **210** is displaying a comparison of two life cycle plans **100**, **400**. The common details of each plan are reported in region **702**, and include demographic and financial information about the members of the plan. As shown in region **702**, the plan members are husband and spouse, with one dependent, having combined yearly salaries of \$145,000, an effective tax rate of 21%, and an after-retirement tax rate of 18% starting in year 2015. Inflation is predicted to be 3.0%. The plan members have current savings of \$145,000, and current investments valued at \$100,000. Their total assets are \$305,000, and they have two loan accounts. Their current yearly living expenses are \$50,000.

The next region **704** of the screen shot **700** depicts the differences between the two plans **100**, **400**. As illustrated, there are two differing premises between the plans. in the existing plan (i.e., Plan 1), dependent Jimmy will

attend the state university, and the return on the family's investments will yield 8% per year. In the proposed plan (i.e. Plan 2), Jimmy attends Stanford, and the family's investments will yield 12% per year.

Region 706 of the screen shot 700 shows the results of the plans, and summarizes the differences. In the described example, Plan 2 meets the goals defined by the user, and thus "works," but as described in the text 712 of region 706, the user will have \$380,000 less of today's dollars at retirement age than the user would have had with the existing plan (Plan 1). This is then further illustrated by graph 714, which shows line graphs 708, 710 of the amount of money available in the plan under Plan 1, and Plan 2. Thus, the user can clearly and immediately see the changes that he has made to the existing plan, and the consequences of those changes.

As will be understood by those familiar with the art, the invention may be embodied in other specific forms without departing from the spirit or essential characteristics thereof. For example, an item may contain more or fewer states than the three described above. Likewise, the particular capitalization or naming of the modules, protocols, features, attributes, data structures, or any other aspect is not mandatory or significant, and the mechanisms that implement the invention or its features may have different names or formats. Accordingly, the disclosure of the present invention is intended to be illustrative, but not limiting, of the scope of the invention, which is set forth in the following claims.

I claim:

1 1. A method of making life cycle plans, each life cycle plan including a
2 plurality of items, each item including at least one variable affecting the value
3 of the item, the method comprising:
4 receiving a first life cycle plan, having a set of items, and for each of the
5 items, the variables of the item having first values;
6 creating a second life cycle plan;
7 receiving a user selection of a first item;
8 receiving a user-provided value associated with one or more variables of
9 the first item;
10 creating a second item, including the variables of the first item and
11 having the user provided value;
12 updating the second item to indicate that the first life cycle plan includes
13 the first item, and the second life cycle plan includes the second item;
14 computing a result for the second life cycle plan, using the user provided
15 value.

1 2. A method of making life cycle plans, each life cycle plan including a
2 plurality of items, each item including at least one variable, the method
3 comprising:
4 storing a plurality of life cycle plan records, each life cycle plan record
5 identifying a life cycle plan;
6 storing a plurality of items, each item containing one or more variables
7 having values which contribute to the result of a life cycle plan;
8 for each item, storing information indicating whether or not the item is
9 active in each plan;

10 computing a result for a selected life cycle plan using only those items
11 active in the selected life cycle plan.

1 3. A computer program product for making life cycle plans,
2 comprising:
3 a computer readable medium storing:
4 a user interface, coupled to the input/output module, for
5 providing life cycle plan data to, and requesting life cycle
6 plan data, from a user; and
7 an input/output module coupled to the user interface to
8 receive the life cycle plan data, and storing for each item
9 state information indicating whether or not the item is
10 active, in each of a plurality of life cycle plans;
11 a planning engine, that determines the result of a life cycle
12 plan using only items that are active in the life cycle plan.

1 4. A system for making life cycle plans, comprising:
2 a first receiving means for receiving a first life cycle plan having a set of
3 items, and for each of the items, the variables of the item having first
4 values;
5 a first creating means coupled to the first receiving means for creating a
6 second life cycle plan;
7 a second receiving means coupled to the first creating means for
8 receiving a user selection of a first item;
9 a third receiving means coupled to the second receiving means for
10 receiving a user-provided value associated with one or more
11 variables of the first item;

12 a second creating means coupled to the first creating means for creating
13 a second item, including the variables of the first item and having the
14 user provided value;
15 an updating means coupled to the second creating means for updating
16 the second item to indicate that the first life cycle plan includes the
17 first item, and the second life cycle plan includes the second item;
18 a computing means coupled to the updating means for computing a
19 result for the second life cycle plan, using the user provided value.

1 5. A system for making life cycle plans, comprising:
2 a user interface including data entry elements for receiving life cycle
3 planning data from a user; and
4 a planning engine coupled to the user interface for allocating the
5 planning data to a plurality of items, each item having at least one
6 variable and being additionally configured to be present in or absent
7 from each life cycle plan, and for determining a plan result for each
8 plan using only the items that are present in the plan.

1 6. A system for making life cycle plans, comprising:
2 a user interface including data entry elements for receiving life cycle
3 planning data from a user; and
4 a planning engine, coupled to the user interface, and configured to
5 perform the steps of:
6 allocating the planning data to a plurality of items, each item
7 having at least one variable, and each item configured to be
8 present in or absent from each life cycle plan; and
9 determining a plan result for each plan using only the items
10 that are present in the plan.

MANAGING MULTIPLE LIFE CYCLE PLANS

ABSTRACT OF THE DISCLOSURE

5 A system and method for making life cycle plans includes a planning engine, an input/output module, a user interface, and financial planning software. The planning engine maintains a plurality of items associated with one or more life cycle plans. Each item has one or more variables, which store data. Each item additionally maintains information about its status within each plan. For each plan, the individual item may be active, inactive, or not present in the plan.

10 When a second or subsequent plan is created, only those items having new or changed variable values are recreated. Instead of each item being copied to the second plan, the item instead maintains state information indicating its state within each plan.

Main Plan Record
102

Personal Event Group
104

Income Event Group
106

Saving Event Group
108

Asset Event Group
110

Loan Event Group
112

Expense Event Group
114

Plan 100

Figure 1

302




Figure 3

Item 1, Time T₁

V ₁ , V ₂ , V ₃	
Plan	1
State	Active

Figure 5a

Item 1, Time T₂

V ₁ , V ₂ , V ₃		
Plan	1	2
State	Active	Active

Figure 5b

Item 1, Time T₃

V ₁ , V ₂ , V ₃		
Plan	1	2
State	Active	Inactive

Figure 5c

Item 2, Time T₃

V ₁ , V ₂ , V ₃ '		
Plan	1	2
State	Not Present	Active

Figure 5d




Figure 6

0010/PTO Rev. 6/95 U.S. Department of Commerce Patent and Trademark Office DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION <input checked="" type="checkbox"/> Declaration Submitted with Initial Filing OR <input type="checkbox"/> Declaration Submitted after Initial Filing	Attorney Docket Number	4931 US
	First Named Inventor	George Hansen
	<i>COMPLETE IF KNOWN</i>	
	Application Number	N/A
	Filing Date	May 26, 2000
	Group Art Unit	Unknown
	Examiner Name	Unknown

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

MANAGING MULTIPLE LIFE CYCLE PLANS

the specification of which

(Title of the Invention)

☒ is attached hereto

OR

☐ was filed on (MM/DD/YYYY) [] as United States Application Number or PCT International Application Number [] and was amended on (MM/DD/YYYY) [] (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations. § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code § 119 (a)-(d) or § 385(b) of any foreign application(s) for patent or inventor's certificate, or § 365 (a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority sheet attached hereto:

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental sheet attached hereto.

DECLARATION	Page 2
--------------------	---------------

I hereby claim the benefit under Title 35, United States Code § 120 of any United States application(s), or § 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application Number	PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority sheet attached hereto.

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Name	Registration Number	Name	Registration Number
Robert R. Sachs	42,120		
Amir H. Raubvogel	37,070		
Rajiv P. Patel	39,327		

☐ Additional attorney(s) and/or agent(s) named on a supplemental sheet attached hereto.

Please direct all correspondence to:

Robert R. Sachs, Esq.
Fenwick & West LLP
Two Palo Alto Square
Palo Alto, CA 94306
U.S.A.

Telephone	(415) 875-2410	Fax	(415) 281-1350
-----------	-----------------------	-----	-----------------------

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:		<input type="checkbox"/> A petition has been filed for this unsigned inventor					
Given Name	George	Middle Initial		Family Name	Hansen	Suffix e.g. Jr.	
Inventor's Signature					Date		
Residence: City		State		Country		Citizenship	
Mailing Address							
Mailing Address							
City		State		Zip		Country	

☐ Additional inventors are being named on supplemental sheet(s) attached hereto